(Punjab Govt. Undertaking, Regd. Office Shakti Sadan Patiala) ਦਫਤਰ ਐਸ.ਐਸ.ਈ. 220ਕੇਵੀ ਸਬ ਸਟੇਸ਼ਨ ਬੁਟਾਰੀ. Contact No:- 9646118336 Emailid:-ssebutari@gmail.com



|                      |   | Enquiry No :- 02/2024-25               |
|----------------------|---|--|
| To,                  |   |  |
|                      |   |  |
|                      |   |  |
|                      | Memo No:- 245                               | Dated:-25110/24                        |
| Subject:-<br>Butari. | Quotation for Re-filling of firefighting Eq | uipment at 7 No S/s under P&M division |

This office intends to refill the following fire fighting Equipment at at 7 Nos S/s Under P&M Division Butari this office. You are the requested to send your lowest rates for the same. The quotation must reach this office on or before 11-11-202<sup>3</sup> Hrs. Quotations will be opened on the same day at 11:00 Hrs in the presence of the undersigned.

## Terms ans conditions :--

- 1. The prices are FOR destination.
- 2. The rates are valid for 90 days.
- 3. Fax / Telegraphic quotations are not entertained.
- 4. The undersigned reserve the right to cancel the quotation/quotations.
- 5. The quantity may be increased or decreased.
- 6. Other clauses as per PSTCL/PSPCL previously PSEB purchase regulations.
- 7. If date of opening happens to be a holiday then quotation will be opened on the next working day.

SSE/220KV Sub Station Butari

Endst No:- 246 Copy of above is forwarded to ADDI.S.E. P&M Division PSTCL, Butari.

SSE/220KV Sub Station Butari

247 25/10/2024 C/C Dy CE/IT Cell/PSTCL, Patrala. for uploading on website. Annexure-A

1

Regarding refilling of Fire Fighting equipments at 220KV and 132KV Sub-Stations, under P&M Division Butari (2024-2025)

| No | Description of work                         | Total     |      | Rate to be quoted<br>by firm per item | Total Amount in<br>Rs |  |
|----|---|-----------|------|---------------------------------------|-----------------------|--|
| 1) | ) Refilling of fire fig                     | hting Fau | inme |                                       |                       |  |
| 1  | ਡ੍ਰਾਂਈ ਕੈਮੀਕਲ ਪਾਓਡਰ ਟਾਈਪ 10                 | वे नी     | 16   |                                       | 1                     |  |
| 2  | ਡ੍ਰਾਂਈ ਕੈਮੀਕਲ ਪਾਓਡਰ ਟਾਈਪ 5.                 | वे नी     | 22   |                                       |                       |  |
| 3  | 45 ਲੀਟਰ ਫੈਮ ਟਾਈਪ                            |           | 13   |                                       |                       |  |
| 4  | ਕਾਰਬਨ ਡਾਈਆਕਸਾਈਡ ਕੈਮੀਕਲ<br>ਟਾਈਪ ਗੈਸ 40 ਕੇ.ਜੀ | ਫੋਮ       | 1    |                                       |                       |  |
| 5  | ਸੰਡਾ ੲੰਸਿਡ ਟਾਈਪ 9 ਲੀਟਰ                      |           | 6    |                                       |                       |  |
| 6  | ਕਾਰਬਨ ਡਾਈਆਕਸਾਈਡ ਵਾਂਟਰ ਟ<br>ਲੀਟਰ             | ਾਈਪ 9     | 3    |                                       |                       |  |
| 7  | ਕਾਰਬਨ ਡਾਈਆਕਸਾਈਡ ਟਾਈਪ<br>ਕੇ.ਜੀ               | ਗੈਸ 40    | 4    |                                       | Call.                 |  |
| 8  | ਕਾਰਬਨ ਡਾਈਆਕਸਾਈਡ ਟਾਈਪ<br>ਕੇ.ਜੀ               |           | 6    |                                       |                       |  |
| 9  | ਕਾਰਬਨ ਡਾਈਆਕਸਾਈਡ ਟਾਈਪ<br>ਲੀਟਰ                | 22.5      | 8    |                                       |                       |  |
| 10 | ਕਾਰਬਨ ਡਾਈਆਕਸਾਈਡ ਟਾਈਪ<br>ਕੈ.ਜੀ               | ਗੈਸ 14    | 1    |                                       |                       |  |
| 11 | ਫ਼ੋਮ ਟਾਈਪ 9 ਲੀਟਰ                            |           | 1    |                                       |                       |  |
| 12 | ਕਾਰਬਨ ਡਾਈਆਕਸਾਈਡ ਟਾਈਪ                        | 9 ਕੇ.ਜੀ   | 17   |                                       |                       |  |
| 13 | ਫਾਇਰਜ਼ ਬੱਕਟਸ                                |           | 30   |                                       |                       |  |
| 14 | ਫਾਇਰਜ਼ ਬੱਕਟਸ ਦੇ ਸਟੈਂਡ                       |           | 5    |                                       |                       |  |
| 15 | ਰਬੜ ਵਾਸ਼ਰ ਆਲ ਸਾਈਜ                           |           | 78   |                                       |                       |  |
| 16 | ਹੋਜ ਪਾਈਪ CO.2. 40kg                         |           | 5    |                                       |                       |  |
| 17 | ਹੋਜ ਪਾਈਪ CO.2 22.5kg                        |           | 3    |                                       |                       |  |
| 18 | ਹੋਜ ਪਾਈਪ CO.2. 40kg ਫੋਮ                     |           | 6    | The second second                     |                       |  |
| 19 | ਹੋਜ ਪਾਈਪ CO.2. 10kg                         |           | 17   |                                       |                       |  |
| 20 | ਹੋਜ ਪਾਈਪ CO.2. 5kg                          |           | 5    |                                       |                       |  |
| 21 | CO.2 ਪਰੇਸ਼ਰ ਵਾਲਵ ਰਿਪੇਅਰ                     |           | 7    |                                       |                       |  |
| 22 | ਇਨਰਕੰਟੇਨਰ ਫੌਮ ਟਾਈਪ 45                       |           | 6    |                                       |                       |  |
|    |   | 007.0     |      | Sub Total-1                           | -                     |  |
|    |   | Total     |      | otal-I+GST@                           |                       |  |

Note:-1) Material should be minimum ISI certified.

2) Validity of refill minimum 1 year or above.

I have read all the terms and condition of the tender enquiry & are acceptable to me and have quoted the Read/Charges as above in accordance with stipulated terms and conditions.

Date:-

Mob:-

Signature of Contractor with stamp

Company address

S.S.E. 220 KV Sub Station P&M Division Butari (PST)

| <br>• |
|-------|
|       |

## Annexure-B

Regarding refilling of Fire Fighting equipments at 220KV and 132KV Sub-Stations, under P&M Division Butari (2024-2025)

| Sr.<br>No | Description of item                                      | Unit | 220KV<br>Butari | 132KV<br>Jandiala | 132KV<br>Tangra | 132KV<br>Beas | 132KV<br>EkalGadda | 132KV<br>Dhilwan | 220KV<br>Kanjli | Total<br>qty |
|-----------|--|------|-----------------|-------------------|-----------------|---------------|--------------------|------------------|-----------------|--------------|
| A         | Refilling of Fire Fighting equipments                    |      |                 |                   |                 |               |                    |                  |                 |              |
| 1         | ਡ੍ਰਾਂਈ ਕੈਮੀਕਲ<br>ਪਾਓਡਰ ਟਾਈਪ<br>10ਕੇ.ਜੀ                   | No.  | 4               | 5                 | 2               | 2             | 2                  |                  | 1               | 16           |
| 2         | ਡ੍ਰਾਂਈ ਕੈਮੀਕਲ<br>ਪਾਓਡਰ ਟਾਈਪ<br>5.ਕੇ.ਜੀ                   | No.  | 3               | 4                 | 3               | 3             | 4                  | 2                | 3               | 22           |
| 3         | 45 ਲੀਟਰ ਫੋਮ<br>ਟਾਈਪ                                      | No.  | 3               | 2                 | 2               | 1             |                    | 2                | 3               | 13           |
| 4         | ਕਾਰਬਨ<br>ਡਾਈਆਕਸਾਈਡ<br>ਕੈਮੀਕਲ ਫੋਮ<br>ਟਾਈਪ ਗੈਸ 40<br>ਕੇ.ਜੀ | No.  | 1               |                   |                 |               |                    |                  |                 | 1            |
| 5         | ਸੋਡਾ ਏਸਿਡ<br>ਟਾਈਪ 9 ਲੀਟਰ                                 | No.  | 1               | 1                 | 1               | 1             | 2                  |                  |                 | 6            |
| 6         | ਕਾਰਬਨ<br>ਡਾਈਆਕਸਾਈਡ<br>ਵਾਂਟਰ ਟਾਈਪ 9<br>ਲੀਟਰ               | No.  | 1               |                   |                 |               |                    |                  | 2               | 3            |
| 7         | ਕਾਰਬਨ<br>ਡਾਈਆਕਸਾਈਡ<br>ਟਾਈਪ ਗੈਸ 40<br>ਕੇ.ਜੀ               | No.  | 2               | 1                 |                 |               | 1                  |                  |                 | 4            |
| 8         | ਕਾਰਬਨ<br>ਡਾਈਆਕਸਾਈਡ<br>ਟਾਈਪ ਗੈਸ 10<br>ਕੇ.ਜੀ               | No.  | 6               |                   |                 |               |                    |                  |                 | 6            |
| 9         | ਕਾਰਬਨ<br>ਡਾਈਆਕਸਾਈਡ<br>ਟਾਈਪ 22.5<br>ਲੀਟਰ                  | No.  |                 | 1                 | 2               | 2             |                    | 2                | 1               | 8            |
| 10        | ਕਾਰਬਨ<br>ਡਾਈਆਕਸਾਈਡ<br>ਟਾਈਪ ਗੈਸ 14<br>ਕੇ.ਜੀ               | No.  |                 |                   | 1               |               |                    |                  |                 | 1            |
| 11        | ਫ਼ੋਮ ਟਾਈਪ 9<br>ਲੀਟਰ                                      | No.  |                 |                   |                 | 1             |                    |                  |                 | 1            |
| 12        | ਕਾਰਬਨ<br>ਡਾਈਆਕਸਾਈਡ<br>ਟਾਈਪ 9 ਕੇ.ਜੀ                       | No.  |                 | 4                 | 3               | 4             |                    | 4                | 2               | 17           |
| 13        | ਫਾਇਰਜ਼<br>ਬੱਕਟਸ  | No.  | 15              | 10                | 15              | 6             | 8                  | 6                | 10              | 70           |

DE Cub Stolion DEV Cub Stolion U Division Bursh (PST

| 14 | ਫਾਇਰਜ਼<br>ਬੱਕਟਸ ਦੇ<br>ਸਟੈਂਡ   | No. | 5  | 2  | 2  | 1  | 1  | 1 | 1 | 13 |
|----|-------------------------------|-----|----|----|----|----|----|---|---|----|
| 15 | ਰਬੜ ਵਾਸ਼ਰ<br>ਆਲ ਸਾਈਜ          | No. | 20 | 20 | 14 | 14 | 10 |   |   | 78 |
| 16 | ਹੋਜ ਪਾਈਪ<br>CO.2. 40kg        | No. | 2  | 1  | 0  | 0  | 2  |   |   | 5  |
| 17 | ਹੋਜ ਪਾਈਪ<br>CO.2 22.5kg       | No. |    | 2  |    |    |    | 2 | 1 | 3  |
| 18 | ਹੋਜ ਪਾਈਪ<br>CO.2. 40kg<br>ਫੋਮ | No. | 2  | 1  | 0  | 3  | 0  |   |   | 6  |
| 19 | ਹੋਜ ਪਾਈਪ<br>CO.2. 10kg        | No. | 2  | 2  | 3  | 1  | 3  | 4 | 2 | 17 |
| 20 | ਹੋਜ ਪਾਈਪ<br>CO.2. 5kg         | No. |    |    |    |    |    | 2 | 3 | 5  |
| 21 | CO.2 ਪਰੇਸ਼ਰ<br>ਵਾਲਵ ਰਿਪੇਅਰ    | No. | 2  | 2  | 1  | 2  | 0  |   |   | 7  |
| 22 | ਇਨਰਕੰਟੇਨਰ<br>ਫੋਮ ਟਾਈਪ 45      | No. | 3  | 3  | 0  | 0  | 0  |   |   | 6  |

and

S.S.E. 220 KV Sub Station P&M Division Bar